

Practical – 3**1. Cascading Style Sheets (CSS): Apply Style Sheet on registryourself.html or create a new html page from scratch.****PROGRAM :**

```
<html>

<head>

    <meta name="viewport" content="width=device-width , initial-scale=1.0">

    <title>Registryourself</title>

    <style>

        body {

            font-family: Arial, Helvetica, sans-serif;

            background-color: white;

        }

        .container {

            padding: 16px;

            background-color: white;

        }

        input[type=text], input[type=password] {

            width: 100%;

            padding: 15px;

            margin: 5px 0 22px 0;

            display: inline-block;

            border: none;

            background: #f1f1f1;

        }

        input[type=text]:focus, input[type=password]:focus, input[type=radio]:focus {

            background-color: #ddd;

            outline: none;
```

```
}  
  
hr {  
  
    border: 1px solid #f1f1f1;  
    margin-bottom: 25px;  
  
}  
  
.registerbtn {  
  
    background-color: darkblue;  
  
    color: white;  
  
    padding: 16px 20px;  
  
    margin: 8px 0;  
  
    border: none;  
  
    cursor: pointer;  
  
    width: 100%;  
  
    opacity: 0.9;  
  
}  
  
.registerbtn:hover {  
  
    opacity: 1;  
  
}  
  
a {  
  
    color: dodgerblue;  
  
}  
  
.signin {  
  
    background-color: lightgrey;  
  
    text-align: center;  
  
}  
  
</style>  
  
<body>  
  
    <fieldset>  
  
        <legend align="center">SIGNUP</legend><br>  
  
        <table align="center" cellpadding="5" cellspacing="5" >
```

```
<tr>

    <td>Name:</td>

    <td><input type="text" placeholder="Write Your Name"></td>

</tr>

<tr>

    <td>Email Id:</td>

    <td><input type="text" placeholder="Enter Email"></td>

</tr>

<tr>

    <td>Gender:</td>

    <td><select>

        <option value="Male">Male</option>

        <option value="Female">Female</option>

    </select></td>

</tr>

<tr>

    <td>Phone No:</td>

    <td><input type="text" placeholder="Phone Number"></td>

</tr>

<tr>

    <td>Field of interest:<br></td>

    <td>

        <input type="radio" name="foi1"

value="Develop">Developer

        <input type="radio" name="foi2"

value="Design">Designing

        <input type="radio" name="foi3"

value="Market">Marketing<br>

    </td>

</tr>

<tr>
```

```
<td>Password:</td>
<td><input type="password" placeholder="Enter
Password"></td>
</tr>
<tr>
<td colspan="2"><p>By creating an account you agree to our
<a href="#">Terms & Privacy</a>.</p></td>
</tr>
<tr>
<td colspan="2"> <button type="submit"
class="registerbtn">Register</button></td>
</tr>
<tr>
<td colspan="2">
<div class="container signin">
<p>Already have an account? <a href="#">Sign
in</a>.</p>
</div>
</td>
</tr>
</table>
</fieldset>
</body>
</head>
```

Output:

← → ↻ File | D:/Downloads/WT%20practicals/my%20pracs/prac3.html ☆

SIGNUP

Name:

Email Id:

Gender:

Phone No:

Field of interest: ☒ Developer ☐ Designing ☐ Marketing

Password:

By creating an account you agree to our [Terms & Privacy](#).

Already have an account? [Sign in](#).

2. Write the following styles in separate CSS file and also show how to link this CSS file in HTML file and show the use of styles.

- a) The headings should have normal font style and font size should be 120%**
- b) Define a class arial for paragraph which defines font family arial and font style bold**
- c) Apply a background color yellow and apply a background image “CE.jpg” (Use Frames)**

PROGRAM :

```
body {  
    font-family: "Times New Roman"; border: 1px solid black;  
    color: black;  
}  
#head {  
    font-weight: 120%;  
}  
.arial {  
    font-family: arial; font-style: bold;  
}
```